

Short instruction/handling Ethernet over USB



The "Ethernet over USB"-adapter serves as an extension with an additional Ethernet-port.

It can be used for these devices :

- TINA
- TINA-II
- ProfiNet - WATCHDOG
- CONNECT (not for LTE-version)
- CONNECT-II

The adapter is plugged into the USB type A socket of the device. As soon as the adapter has been recognized by the device and a LAN cable is connected, the two integrated LEDs start to light up:

Green Link-status

Yellow Data communication (flashes depending on data)

You can now access by the device-specific default IP-address 192.168.0.1.

Under the web-address <https://www.process-informatik.de> are product specific documentations or software-driver/-tools available to download.
If you have questions or suggestions about the product, please don't hesitate to contact us.

Process-Informatik Entwicklungsgesellschaft mbH

Im Gewerbegebiet 1

DE-73116 Wäschenbeuren

+49 (0) 7172-92666-0

info@process-informatik.de

<https://www.process-informatik.de>

Copyright by PI 2019 - 2024

Menutree Website:

+ Products / docu / downloads

+ Ethernet over USB




QR-Code Website:




Please make sure to update your drivers before using our products.

Remote maintenance of a S7-PLC[FREWARE without support]




You have to solve a problem in the PLC-program, but the installation is not placed nearby? No problem, start your PG-2000-software with "option teleservice", activate your modem and after selection intra PG-2000-software access to the PLC is possible as if being on-site.

S7-CP-replacement (without LAN-CP to the PLC-device)



Do you have a S7-PLC-device without CP243-1, CP343-1 or CP443-1 and would like to connect via LAN? Then plug the S7-LAN on the PLC-device and your access via RFC1006 is ready for use.

Universal transfer of LAN-products into WLAN



You have a variety of LAN products and would like to communicate to them via WLAN?
No problem, with the WLAN-Klemme you will be able to contact all these products.

Wireless around the Mitsubishi-PLC



Move wirelessly around the Mitsubishi-PLC and communicate for example ONLINE in the status